



Forms

Symfony

FORM COMPONENT

FIELDS

FIELD OPTIONS

VALIDATOR (constraints)

CUSTOM HTML (templates)

PROTOTYPING Render the form (all fields)

Field	class that converts submitted data to normalized values
Form	collection of fields that knows how to validate itself
Template	file that renders a form or a field in HTML
Domain objects	an object a form uses to populate default values and where submitted data is written

BirthdayField	FileField	PercentField
CheckboxField	HiddenField	RepeatedField
ChoiceField	IntegerField	TextField
CollectionField	LanguageField	TextareaField
CountryField	LocaleField	TimeField
DateField	MoneyField	TimezoneField
DateTimeField	NumberField	UrlField
EntityChoiceField	PasswordField	

data	use Symfony\Component\Form\TextField
required	
disabled	
trim	
property_path	\$field = new TextField('name', array('data' => 'Custom default...', 'property_path' => 'token',));

PHP

```
// src/Acme/HelloBundle/Contact/ContactForm.php
namespace Acme\HelloBundle\Contact;

use Symfony\Component\Form\Form;
use Symfony\Component\Form\TextField;
use Symfony\Component\Form\TextareaField;
use Symfony\Component\Form\CheckboxField;

class ContactForm extends Form {
    protected function configure() {
        $this->add(new TextField('subject', array(
            'max_length' => 100, )));
        $this->add(new TextareaField('message'));
        $this->add(new TextField('sender'));
        $this->add(new CheckboxField('ccmyself',
            array('required' => false, )));
    }
}
```

Choice	Max	Time
Collection	MaxLength	True
Date	Min	Type
DateTime	MinLength	Url
Email	NotBlank	Valid
False	NotNull	
File	Regex	

YAML

```
# Acme/BlogBundle/Resources/config/validation.yml
Acme\BlogBundle\Author:
    properties:
        firstName:
            - NotBlank: ~
            - MinLength: 3
        lastName:
            - NotBlank: ~
            - MinLength: 3
```

form_enctype	Outputs the enctype attribute of the form tag. Required for file uploads
form_errors	Outputs the a tag with errors of a field or a form
form_label	Outputs the <label> tag of a field
form_field	Outputs HTML of a field or a form
form_hidden	Outputs all hidden fields of a form

Twig

```
{{ form_field(form.title, { 'class': 'important' }) }}
```

PHP

```
echo $view['form']->render($form['title'],
array('class' => 'important' ))
```

Twig

```
{% form_label(form.title) %}
```

PHP

```
echo $view['form']->label($form['title']);
```

All labels and error messages are automatically internationalized

Helpers	Twig Block	PHP Template Name
errors	errors	FrameworkBundle:Form:errors.php
hidden	hidden	FrameworkBundle:Form:hidden.php
label	label	FrameworkBundle:Form:label.php
render	selects the template to render based on the underscored version of the field's class name	

Twig

```
{# TwigBundle::form.html.twig #}
```

```
{% block errors %}
{% if errors %}
<ul>
    {% for error in errors %}
        <li>{{ trans error.0 with error.1 from
validators %}}</li>
    {% endfor %}
</ul>
{% endif %}
{% endblock errors %}
```

Twig

```
<form action="#" {{ form_enctype(form) }}>
    method="post"
    {{ form_field(form) }}
    <input type="submit" />
</form>
```

PHP

```
<form action="#" <?php echo $view['form']->
enctype($form) ?> method="post">
    <?php echo $view['form']->render($form) ?>
    <input type="submit" />
</form>
```